# SAFETY DATA SHEET

Lucas Extreme Duty Gun Oil



Section 1. Identification	
GHS product identifier	: Lucas Extreme Duty Gun Oil
Other means of identification	: Not available.
Product number	: 10870, 10875, 10876, 10877.
Identified uses	
Oil Additive.	
Supplier's details	: Lucas Oil Products, Inc 302 North Sheridan Street Corona, California 92880-2067 Toll Free: (800) 342-2512 Tel: (951) 270-0154 Fax: (951) 270-1902 Website: www.LucasOil.com
Emergency telephone number (with hours of operation)	: (951) 493-1149 (951) 847-5949 Markn@lucasoil.com
	7:00A.M. to 5:00P.M. Monday thru Friday

# Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: SKIN CORROSION/IRRITATION - Category 2
substance or mixture	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
	AQUATIC HAZARD (LONG-TERM) - Category 3
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: Causes serious eye irritation.
	•
	Causes skin irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	Causes skin irritation.
	Causes skin irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	Causes skin irritation.
Precautionary statements	Causes skin irritation. Harmful to aquatic life with long lasting effects. Read label before use. Keep out of reach of children. If medical advice is needed,

Tel:+1-888-GHS-7769(447-7769)/+1-450-GHS-7767(447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

# Section 2. Hazards identification

Response	<ul> <li>IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.</li> </ul>
Storage	: Not applicable.
Disposal	<ul> <li>Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

### CAS number/other identifiers

CAS number	: Not applicable.		
Product code	: Not available.		
Ingredient name		%	CAS number
ZincAlkyldithiophosphate		15	68649-42-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.

### Section 4. First aid measures

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects. acute and delayed

Potential acute health effect			
Eye contact	uses serious eye irritation.		
Inhalation	known significant effects or critical hazards.		
Skin contact	uses skin irritation.		
Ingestion	tating to mouth, throat and stomach.		
Over-exposure signs/sympt			
Eye contact	verse symptoms may include the following: in or irritation atering dness		
Inhalation	known significant effects or critical hazards.		
Skin contact	verse symptoms may include the following: itation dness		
Ingestion	known significant effects or critical hazards.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	eat symptomatically. Contact poison treatment specialist immediately if large antities have been ingested or inhaled.		
Specific treatments	specific treatment.		
Protection of first-aiders	action shall be taken involving any personal risk or without suitable training. It dangerous to the person providing aid to give mouth-to-mouth resuscitation.	may	

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Straight streams of water.
Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: No special measures are required.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures For non-emergency No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through personnel spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in For emergency responders . Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel". **Environmental precautions** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Methods and materials for containment and cleaning up

Small spill
 Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
 Large spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



# Section 8. Exposure controls/personal protection

Contro	parameters

Occupational exposure limits

None.

controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Clear.]
Color	: Florescent Green.
Odor	: Slight grape.
Odor threshold	: Not available.
рН	: Not available.
Melting point	: Not available.
Boiling point	: >260°C (>500°F)
Flash point	: Closed cup: 212.77°C (415°F)
Evaporation rate	: Not available.



 $Tel:+1-888-GHS-7769\,(447-7769)\,/+1-450-GHS-7767\,(447-7767)\\www.kmkregservices.com www.askdrluc.com www.ghssmart.com$ 

# Section 9. Physical and chemical properties

Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.897
Solubility	: Negligible at 25°C
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (100°C (212°F)): 0.15 cm <sup>2</sup> /s (15 cSt)

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Excessive heat.
Incompatible materials	: Reactive or incompatible with the following materials: strong oxidizers.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

### There is no data available.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
ZincAlkyldithiophosphate	Eyes - Irritant	Rabbit	-	-	-

### Sensitization

There is no data available.

**Carcinogenicity** 

There is no data available. <u>Specific target organ</u> <u>toxicity (single exposure)</u> There is no data available. <u>Specific target organ toxicity (repeated</u>

exposure)\_There is no data available.

Aspiration hazard



# Section 11. Toxicological information

There is no data available.

Information on the likely routes of exposure	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes skin irritation.
Ingestion	: Irritating to mouth, throat and stomach.
Eye contact	<ul> <li>vsical. chemical and toxicological characteristics</li> <li>Adverse symptoms may include the following: pain or irritation watering redness</li> </ul>
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure
Short term exposure
Potential immediate : No known significant effects or critical hazards. effects
Potential delayed effects : No known significant effects or critical hazards.
Long term exposure
Potential immediate : No known significant effects or critical hazards. effects
Potential delayed effects : No known significant effects or critical hazards.
Potential chronic health effects
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

#### Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

# Section 12. Ecological information

### <u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
	Acute EC50 1 to 5 mg/L Acute EC50 1 to 1.5 mg/L Chronic LC50 1 to 5 mg/L	Crustaceans	96 hours 48 hours 96 hours

### Persistence and degradability

There is no data available.

### **Bioaccumulative** potential

There is no data available.

### Mobility in soil

Soil/water partition	: There is no data available
coefficient (Koc)	

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	UN3082	UN3082	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Alkyldithiophosphate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Alkyldithiophosphate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc Alkyldithiophosphate)
Transport	9	9	9
hazard class(es)			
Packing group	III	III	III
Environmental hazards	Yes.	Yes.	Yes.

# Section 14. Transport information

when transported on inland waterways in sizes of ≤5 L or ≤5 kg.	Additional information	unless transported by inland waterway. The marine pollutant mark is not required when transported on inland waterways in		The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.
---	---------------------------	--	--	--

### AERG : 171

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

### Section 15. Regulatory information

•	-						
J.S. Federal regulations	: TS	CA 8(a) PAIR: Z	Zinc Alkyldith	iophosphate			
	TS	CA 8(a) CDR E	Exempt/Parti	al exemption:	Not determin	ed	
	Un	ited States inv	entory (TSC	A 8b): All com	ponents are l	isted or exemp	ted.
	Cle	ean Water Act (	(CWA) 307: 2	Zinc Alkyldithio	ophosphate		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: No	t listed					
Clean Air Act Section 602 Class I Substances	: No	t listed					
Clean Air Act Section 602 Class II Substances	: No	t listed					
DEA List I Chemicals (Precursor Chemicals)	: No	t listed					
DEA List II Chemicals (Essential Chemicals)	: No	t listed					
SARA 302/304							
Composition/information of	on ingre	<u>edients</u>					
No products were found.							
SARA 304 RQ	: Not	t applicable.					
<u>SARA 311/312</u>							
Classification	: Imr	nediate (acute)	health haza	rd			
Composition/information of	on ingre	<u>edients</u>					
Name		%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
				t			1

### <u>SARA 313</u>

Zinc Alkyldithiophosphate

No.

No.

Yes.

No.

15

No.

# Section 15. Regulatory information

	Product name	CAS number	%
Form R - Reporting requirements	ZincAlkyldithiophosphate	68649-42-3	15
Supplier notification	ZincAlkyldithiophosphate	68649-42-3	15

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Zinc Alkyldithiophosphate
Pennsylvania	: The following components are listed: Zinc Alkyldithiophosphate
<u>California Prop. 65</u>	
No products were found.	

### Section 16. Other information

### Hazardous Material Information System (U.S.A.)

#### Health: 2 \* Flammability: 1 Physical hazards: 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

#### National Fire Protection Association (U.S.A.)

### Health : 2 Flammability : 1 Instability : 0

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

Date of issue mm/dd/yyyy Version		09/15/2014 1
Revised Section(s)	- 1	Not applicable.
Prepared by	:	KMK Regulatory Services Inc.
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations

Tel:+1-888-GHS-7769(447-7769)/+1-450-GHS-7767(447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

# Section 16. Other information

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.